



FURNS
STREET FURNITURE

LANDSCAPING OUR FUTURE

BORG LITTER BIN



Product description

The BORG litter bin is characterised by its robust design. Thanks to smart construction solutions, parts are easy to replace. A 50 and 100 litres model are available in the series.

In the same series we also have **benches, picnic combination and bicycle racks**. You can find these at our product categories.

SPECIFICATIONS

General

Our litter bins are equipped with:

- Stainless steel 316 Slamlock locking system
- Stainless steel 316 DK8 lock
- Insertion height 1100 mm
- Warranty 5 years (expiring)

Material

Housing

- Corten steel 3 + 6 mm
- Aluminium 3 + 6 mm + 2 layer powder coating

Inner bin

- Galvanised steel 1 mm

Options

- Aluminium inner bin
- FURNS concrete footing

IMPORTANT

Points of attention

- All packaging materials must immediately be removed from the products.
- Corten Steel should never be constantly in moisture, it should drain well and ventilate in all situations.
- Products will be delivered un-rusted.
- We only use Corten steel type S355JOWP.
- Coastal areas: We do not recommend using Corten steel within a radius of 2 km from a coastline.
- During the weathering process rust residue can come off the product.
- Drilling / grinding in the material is not permitted.

Maintenance

- Annual cleaning by removing dirt using clean tap water.
Note! Do not use a high-pressure cleaner.
- Moving parts must be greased to maintain the functioning of the mechanism.

PLACEMENT

PLACEMENT

1. Provide a flat, solid (vibrated) surface. If not done carefully, it can create stresses in the product which could result in damage to the product.


2. Place the FURNS concrete footings in the desired position and set them for a stable base.

Pay attention! Make sure that the footplate is 150mm below ground level to ensure the standard throw-in height.



3. Place the BORG litter bin on the concrete bases so that the holes in the base plate match the screw sleeves of the base.

Pay attention! First loosely screw all the bolts into the base, after which they can be tightened one by one.



4. Cover the concrete base and base plate with soil and finish the pavement.





MODELS

For a complete overview of all our products and specifications, please visit www.furns.com.



BORG 50L



BORG 100L




BORG 2 WASTE FLOWS 50L

ACCESSORIES

ACCESSORIES

All our accessories meet the highest standards and are an highly suitable addition to our products. Visit www.furns.com for a complete overview of our accessories.



CONCRETE FOOTING

We advise to place our products on our uniform concrete bases. These are suitable for installation below ground level. As standard, they are fitted with screw sleeves for easy mounting of our products. See the table below for the corresponding bases per model.

Product	Model	Concrete footing	Quantity
BORG 50L	BOLB.50	600	1
BORG 100L	BOLB.100	600	1
BORG 2 WASTE FLOWS 50L	BOLB.50WS2	600	1



CLEANER & PROTECTOR

We recommend cleaning our products at least once a year. For optimal results, use the ADEZZ BIO Cleaner & Protector detergent. Always read the instructions on the package carefully before use.



CORTEN VARNISH

To stop the rusting process, Corten varnish can be applied on the Corten products. Always read the instructions on the package carefully before use.