

DUNC LITTER BIN



Product description

The DUNC litter bin has, just like the benches and the picnic set, a modern look. The round shape and the three openings lend themselves exceptionally well on large areas, such as on a square.

In the same series we also have **benches and a picnic set**. You can find these at our product categories.

SPECIFICATIONS

General

Our litter bins are equipped with:

- Stainless steel 316 Slamlock locking system
- Stainless steel 316 DK8 lock
- Insertion height 1100 mm
- Warranty 5 years (expiring)

Material

Housing

Galvanised steel 3 + 6 mm + 2 layer powder coating

Inner bin

· Galvanised steel 1 mm

Options

- · Aluminium inner bin
- FURNS concrete footing

IMPORTANT

Points of attention

- · All packaging materials must immediately be removed from the products.
- Drilling / grinding in the material is not permitted.

Maintenance

- Annual cleaning by removing dirt using clean tap water.
 Note! Do not use a high-pressure cleaner.
- Moving parts must be greased to maintain the functioning of the mechanism.


PLACEMENT

PLACEMENT

- 1. Provide a flat, solid (vibrated) surface. If not done carefully, it can create stresses in the product which could result in damage to the product.
- 2. Place the FURNS concrete footings in the desired position and set them for a stable base.

Pay attention! Make sure that the footplate is 150mm below ground level to ensure the standard throw-in height.





3. Place the DUNC litter bin on the concrete bases so that the holes in the base plate match the screw sleeves of the base.

Pay attention! First loosely screw all the bolts into the base, after which they can be tightened one by one.







Models

For a complete overview of all our products and specifications, please visit www.furns.com.



ACCESSORIES

All our accessories meet the highest standards and are an highly suitable addition to our products. Visit www.furns.com for a complete overview of our accessories.



CONCRETE FOOTING

We advise to place our products on our uniform concrete bases. These are suitable for installation below ground level. As standard, they are fitted with screw sleeves for easy mounting of our products. See the table below for the corresponding bases per model.

Product	Model	Concrete footing	Quantity
DUNC 180L	DULB.180	250	3
DUNC 3 WASTE FLOWS 60L	DULB.60WS3	250	3



CLEANER & PROTECTOR

We recommend cleaning our products at least once a year. For optimal results, use the ADEZZ BIO Cleaner & Protector detergent. Always read the instructions on the package carefully before use.