

POLYMER CONCRETE PLANTERS



Product description

Polymer Concrete is a moulded stone composite, which is ideal for use in public spaces. The material is highly compressed, making it extremely strong. Natural minerals mixed with binding agents, that are becoming increasingly recyclable. The planters are not submitted to wear and tear. They are 100% waterproof and are therefore extremely frost resistant. The closed structure of the material means it does not hold dirt and will naturally clean from rain water.

SPECIFICATIONS

General information

Our planters consist out of:

- Material thickness: min. 23 mm
- 5 year warranty (descending)

Polymer concrete

- Dense smooth concrete structure
- Approaches RAL 7035
- No posttreatment required

IMPORTANT

Points of attention

- All packaging materials must immediately be removed from the products.
- · Watertight planters are not suitable for pond application.
- · Our planters are not suitable to be moved once filled.

Maintenance

Clean at least once a year. Rinse the planter with clean tap water to remove dirt.
Note! Do not use a high-pressure cleaner.



PLACEMENT

- 1. Provide a flat, solid surface. If not done carefully, it can create tension in the product which can result in damage to the product.
- 2. Drill drainage holes in the bottom of the planter if desired.
- 3. Always provide sufficient breathing space (minimum 1 cm) around the planters to prevent moisture trapping.




PLANTING ADVICE

4. Fill the planter with a layer of hydro grains about 10cm high. Place a moisture-permeable anti-root cloth over the hydro grains.

Note! Raise the cloth at the edges at least 10 cm for an ideal effect.

5. Cover the anti-root cloth with a layer of airy soil mixture adapted to the planting to be applied.

Note! The soil in the planter should never be tamped down, this can cause damage to the planter.





Models

For a complete overview of all our products and specifications, please visit www.furns.com.

