

BARRIERS



Product description

The ROMB barrier is a guided fence that is characterised by its simplicity. By applying separation barriers, you ensure safety and create visual walking/driving lanes.

SPECIFICATIONS

General

ROMB 1

- Top Edge: 80 mm
- Material thickness: 8 mm
- Corten steel and Galvanised steel + 2 layer powder coating
- Galvanized uncoated on request
- Warranty 5 years (expiring)

ROMB 2

- Top Edge: 80 mm
- Material thickness: 8 mm
- Corten steel and Galvanised steel + 2 layer powder coating
- Galvanized uncoated on request
- Warranty 5 years (expiring)

Options

- FURNS Concrete footing

IMPORTANT

Points of attention

- All packaging materials must immediately be removed from the products.
- Corten Steel should never be constantly in moisture, it should drain well and ventilate in all situations.
- Products will be delivered un-rusted.
- We only use Corten steel type S355JOWP.
- Coastal areas: We do not recommend using Corten steel within a radius of 2 km from a coastline.
- During the weathering process rust residue can come off the product.
- Drilling / grinding in the material is not permitted.

Maintenance


- Annual cleaning by removing dirt using clean tap water.
Note! Do not use a high-pressure cleaner.

PLACEMENT

PLACEMENT


1. Provide a flat, solid (vibrated) surface. If not done carefully, it can create stresses in the product which could result in damage to the product.

2. Mark the position of the holes at the bottom of the separation barrier and drill holes in the pavement.




3. Place the separation barrier on the flat pavement so that the holes in the uprights match the drilled holes.

Because the separation barrier can be placed on the pavement, the separation barrier can be placed anywhere without having to dig.



4. Fix the separation barrier to the pavement with plugs or possibly a chemical anchor.

Pay attention! Loosely tighten all bolts first, after which they can be tightened one by one.



BARRIERS



MODELS

For a complete overview of all our products and specifications, please visit www.furns.com.



ROMB 1



ROMB 2