

## TREE GUARDS



### Product description

The serie tree guards fits into any environment thanks to its timeless design and fits seamlessly into our series of tree grates.

The tree guards give the tree the protection it deserves. By shielding the tree, you prevent bikes to be put against the tree and carparking damage.

## SPECIFICATIONS

### General

- Tree guards can only be combined with the 1490 and 1800mm grids
- RVS 316 mounting material
- Warranty 5 years (expiring)

### AROS Round

- Material thickness 4 + 6 mm
- Corten steel and galvanized steel + RAL

### AROS Straight

- Material thickness frame: 2 mm
- Mounting plate thickness: 6 mm

- Corten steel and galvanized steel + RAL

### STORR

- Material thickness frame: 10 mm
- Mounting plate thickness: 10 mm
- Corten steel and galvanized steel + RAL

## IMPORTANT

### Points of attention

- All packaging materials must immediately be removed from the products.
- Corten Steel should never be constantly in moisture, it should drain well and ventilate in all situations.
- Products will be delivered un-rusted.
- We only use Corten steel type S355JOWP.
- Coastal areas: We do not recommend using Corten steel within a radius of 2 km from a coastline.
- During the weathering process rust residue can come off the product.
- Drilling / grinding in the material is not permitted.

### Maintenance

- Annual cleaning by removing dirt using clean tap water.  
**Note!** Do not use a high-pressure cleaner.

# PLACEMENT

## PLACEMENT

1. Remove the bolts from the inner ring of the tree grate and install the tree guards.



2. Place the tree guard on the grate so that the holes match the holes in the grate. Then attach the tree guards to the grate with the supplied bolts.

**Pay attention!** Loosely tighten all bolts first, after which they can be tightened one by one.



3. The tree guards fit into any environment thanks to their timeless design and fit seamlessly with our series of tree grates (1490 and 1800).



# TREE GUARDS

## MODELS

For a complete overview of all our products and specifications, please visit [www.furns.com](http://www.furns.com).



AROS ROUND



AROS STRAIGHT



STORR ROUND



STORR STRAIGHT

## OPTIONS



TGGR+TGFR