



**FURNS**  
STREET FURNITURE

LANDSCAPING OUR FUTURE

## STORR LITTER BINS



### Product description

The STORR is a versatile litter bin that is characterised by its simplicity. The model is available with or without wooden finish. Thanks to the slamlock system, no key nor additional action is required to lock the door.

In the same series we also have **benches, picnic combination, picnic set, tree guards and bicycle racks**. You can find these at our product categories.

## SPECIFICATIONS

### General

Our litter bins are equipped with:

- Stainless steel 316 Slamlock locking system
- Stainless steel 316 DK8 lock
- Insertion height 1100 mm
- Warranty 5 years (expiring)

### Material

#### Housing

- Cortensteel 2 + 10 mm
- Aluminium 3 + 10 mm + 2 layer powder coating

#### Inner bin

- Galvanised steel 1 mm

### Upholstery

- Garapa head sizes: 60 x 20 mm

### Options

- Aluminium inner bin
- Bamboo Extreme upholstery
- FURNS concrete footing

## IMPORTANT

### Points of attention

- All products must be unpacked immediately after delivery.
- Every kind of (hard) wood will turn grey under the influence of UV radiation, weather and wind. The final colour depends on the starting colour.
- Wood is a natural product that "works" and will shrink or expand depending on temperature and moisture content.
- Hardwood can turn black when in contact with Corten steel, which will eventually turn gray.
- Corten Steel should never be constantly in moisture, it should drain well and ventilate in all situations.
- Corten Steel products are not (fully) rusted on delivery, we only use Corten steel type S355JOWP.
- Coastal areas: We do not recommend using Corten steel within a radius of 2 km from a coastline.
- During the weathering process rust residue can come off the product, which can result in stains.
- Drilling / grinding in the material is not permitted.

### Maintenance


- Regular cleaning (WOCA exterior cleaner) and sealing (WOCA exterior oil) of the wood ensures that the pigment in the wood is retained longer and the discolouration process is delayed.
- Annual cleaning by removing dirt using clean tap water.
- **Note!** Do not use a high-pressure cleaner.
- Moving parts must be greased to maintain the functioning of the mechanism.

# PLACEMENT

## PLACEMENT

1. Provide a flat, solid (vibrated) surface. If not done carefully, it can create stresses in the product which could result in damage to the product.

2. Open the litter bin and remove the inner bins. Mark the position of the holes at the bottom of the STORR litter bin and drill holes in the pavement.



3. Place the STORR litter bin on the flat pavement, so that the holes in the uprights match the drilled holes.


Because the STORR litter bin can be placed on the pavement, the litter bin can be placed anywhere, without having to dig.



4. Fix the litter bin to the pavement with plugs or possibly a chemical anchor.

**Pay attention!** Loosely tighten all bolts first, after which they can be tightened one by one.

5. Replace the inner bins and close the litter bin.



# STORR LITTER BINS

## MODELS

For a complete overview of all our products and specifications, please visit [www.furns.com](http://www.furns.com).



STORR 100L



STORR 100L WOOD



STORR 2 WASTE FLOWS 100L



STORR 2 WASTE FLOWS 100L WOOD



STORR 3 WASTE FLOWS 70L




STORR 3 WASTE FLOWS 70L WOOD

# ACCESSORIES

## ACCESSORIES

All our accessories meet the highest standards and are an highly suitable addition to our products. Visit [www.furns.com](http://www.furns.com) for a complete overview of our accessories.



### CONCRETE FOOTING

We advise to place our products on our uniform concrete bases. These are suitable for installation below ground level. As standard, they are fitted with screw sleeves for easy mounting of our products. See the table below for the corresponding bases per model.

Product	Model	Concrete footing	Quantity
STORR 100L	STLB.100	600	1
STORR 100L wood	STLB.100.W	600	1
STORR 2 WASTE FLOWS 100L	STLB.100WS2	600	1
STORR 2 WASTE FLOWS 100L wood	STLB.100WS2.W	600	1
STORR 3 WASTE FLOWS 70L	STLB.70WS3	600	1
STORR 3 WASTE FLOWS 70L wood	STLB.70WS3.W	600	1



### CLEANER & PROTECTOR

We recommend cleaning our products at least once a year. For optimal results, use the ADEZZ BIO Cleaner & Protector detergent. Always read the instructions on the package carefully before use.



### CORTEN VARNISH

To stop the rusting process, Corten varnish can be applied on the Corten products. Always read the instructions on the package carefully before use.