




ADEZZ

DESIGN TO GROW

Letterboxes



Material corten steel



Corten steel is a metal alloy made by adding copper, phosphorus, silicon, nickel and chromium to steel. When exposed to air, the material forms a protective layer of rust. This natural coating prevents further corrosion and makes the letterbox long-lasting.

SPECIFICATIONS

- 5-year guarantee.
- Corten steel letterboxes are very robust, hard-wearing, weatherproof, low-maintenance and durable.
- Lockable door including 2 keys.
- The corten steel has a thickness of 2 mm.
- Products are delivered without rust. The corten steel rusting process takes about 4-5 months, depending on weather conditions.
- The rust can be fixed by applying Owatrol. This is a penetrating rust inhibitor that forms a protective anti-rust coating. Owatrol protects the product and stops the rust on corten steel flaking off.
- We also supply professional maintenance products.


KEY POINTS TO NOTE

- Products should be unpacked immediately upon receipt to release any moisture trapped inside the packaging. If the product is left in its packaging, it may develop uneven rust patches.
- We do not recommend using corten steel within 2 km of a coastline.
- The weathering process may cause rust run-off.
- The guarantee expires if you drill or grind in a way that is not specified.
- Clean annually by spraying with tap water to remove dirt and debris.

OPTIONAL

- We also supply house numbers and letters.

Material aluminium



Once constructed, the letterbox is given several finishing treatments. The metal is roughened to allow better adhesion of the powder coating. This powder coating is available in a variety of colours and is applied with a strong adhesive primer. Finally, the letterbox is finished with a hard topcoat. This ensures that the letterbox is scratch resistant.

SPECIFICATIONS

- 5-year guarantee.
- Aluminium letterboxes are very robust, hard-wearing, resistant to corrosion and durable.
- The aluminium has a thickness of 3 mm.
- Lockable door including 2 keys.
- Scratch-resistant topcoat.
- We also supply professional maintenance products.

KEY POINTS TO NOTE

- Products should be unpacked immediately upon receipt to release any moisture trapped inside the packaging. This moisture can cause stains that are difficult to remove.
- The guarantee expires if you drill or grind in a way that is not specified.
- Clean annually with our ADEZZ cleaner/protector cleaner. Do not use a pressure washer and/or scouring pad. This damages the coating.

OPTIONAL

- We also supply house numbers and letters.

RAL COLOURS

Standard RAL colours are RAL 7016, RAL 7021, RAL 9005 and RAL 9016.

For all other available RAL colours, please check our website. There is a start-up charge for these colours.

Note! Colours may vary from the image.



RAL 7016



RAL 7021



RAL 9005



RAL 9016

Installation

1. Provide a flat (vibrated), solid surface. If not done carefully, it may result in damage to the product.
2. Drill holes at the position of the slotted holes in the base plate.
The round holes are for drainage and must not be used as mounting holes!

3. Fix the base plate to the pavement with plugs or possibly a chemical anchor.



Note! First loosely tighten all the bolts, after which they can be tightened fully one by one.

4. Place the letter box over the base plate.

5. Attach the letter box to the base plate with the supplied Allen screws.

Because the letter box can be placed on the pavement, the box can be placed anywhere without having to dig. It is also possible to place the letter box below ground level, so that the mounting part of the letter box disappears below ground level.

Note! Letter box Flyn is installed without a base plate.



Models

For a complete overview of all our products and specifications, please visit www.adezz.com.



IVAR
CORTEN STEEL



NOX
CORTEN STEEL



FLYN
CORTEN STEEL



IVAR
ALUMINIUM



NOX
ALUMINIUM



FLYN
ALUMINIUM

Accessories

All our accessories meet the highest standards and are an highly suitable addition to our products. Visit www.adezz.com for a complete overview of our accessories.



CLEANER & PROTECTOR

ALUMINIUM

We recommend cleaning our products at least twice a year. For optimal results, use the ADEZZ BIO Cleaner & Protector. Always read the descriptions on the packaging carefully before use.



RUST ACCELERATOR

CORTEN STEEL

Our corten steel products are delivered un-rusted and the weathering process will take approximately 4-5 months. This process can be accelerated with the BIO rust accelerator available on our website. Always read the descriptions on the packaging carefully before use.



CORTEN VARNISH

CORTEN STEEL

Corten varnish can be applied to the corten steel products to stop the weathering process. Always read the descriptions on the packaging carefully before use.



HOUSE NUMBERS AND LETTERS

ALUMINIUM - CORTEN STEEL

House numbers and letters can be ordered in corten steel and stainless steel. With the supplied kit, they can easily be attached to the location of your choice on the letter box.

ADEZZ

DESIGN TO GROW

Spending time outdoors has soared in popularity over the last few years, becoming an increasingly important part of our daily lives. Our brands ADEZZ, FORNO and FURNS offer a diverse range of products guaranteed to enhance the outdoor experience. Our collections create an ambience in which you can enjoy your garden to the fullest.

All brands have their own character, but they are designed to work together, allowing you to create endless combinations. The materials, finishes and styles are repeated across the collections so that they coordinate beautifully. The result? A long-lasting, stylish garden design: from sleek edging to exclusive furniture and from sturdy fireplaces to elegant water tables.

We design and manufacture all our products in-house, ensuring that we can continue to provide the high quality that you have come to expect from us. And we do this at the most competitive price possible. All our products are made in Europe with the utmost care, so we can be sure that they meet our exacting standards.

